


# netflow見てみた(ヨシノジュンペイ)



# Queries

Group	Query name	Query	Events
netflow	asr_next_hop_dst	<pre>select bgp_ipv4_next_hop,dst_as, sum(in_bytes) [redacted] as bps From flow.win:time_batch(1 min) where host='[redacted]' GROUP BY d st_as,bgp_ipv4_next_hop ORDER BY bps</pre>	1
netflow	mx_next_hop_dst	<pre>show query</pre>	1

```
name:asr_next_hop_dst_as,
group:netflow

select bgp_ipv4_next_hop,dst_as,
sum(in_bytes) [redacted] as bps From
flow.win:time_batch(1 min) where
host='[redacted]' GROUP BY d
st_as,bgp_ipv4_next_hop ORDER BY
bps
```

Add Query [editor](#)

# Targets

Target	Auto field	Fields	modified
flow	true	<a href="#">show fields</a>	2014-07-17 12:22:11 +0900

Home » bgp\_netflow » [redacted]

[redacted] [redacted] [redacted] 設定 CURRENT [redacted] MODE gauge CREATED\_AT 2014/07/03 17:34:01 UPDAT

Daily (5min avg)



[redacted] [redacted] [redacted] 設定 CURRENT [redacted] MODE gauge CREATED\_AT 2014/07/03 17:42:32 UPDAT

Daily (5min avg)

